INDEX TO DRAWINGS

A-1. SITE PLAN
A-2 "C" COMPLEX SITE PLAN
A-3 "D" COMPLEX SITE PLAN
A-4 "E" COMPLEX SITE PLAN
A-5 FOUNDATION PLAN, SCREEN WALL & KITCHEN CABINETS
A-6 FLOOR PLAN, DOOR SCHEDULE & DETAILS
A-7 BUILDING ELEVATIONS
A-8 ROOF FRAMING PLAN & DETAILS
A-9 WALL SECTIONS
A-10 WALL SECTIONS
M-11 MECHANICAL
E-12 ELECTRICAL
R-13 REMODELING OF INDIVIDUAL HOUSING UNITS
R-14 REMODELING OF CENTRAL UTILITY BUILDING (WASHATERIA)
R-15 REMODELING OF CENTRAL UTILITY BUILDING (WASHATERIA)



SITE PLAN

SCALE 1" = 100'-0"

DRAWING SYMBOLS

- LETTER INDICATES DETAIL / SHEET NUMBER
- LETTER INDICATES CROSS SECTION / SHEET NUMBER
- LETTER INDICATES DOOR TYPE / DOOR NUMBER
- LETTER INDICATES WINDOW TYPE
- INDICATES LOCATION OF ELECTRAL SERVICE
- NUMBER INDICATES FINISH FLOOR ELEVATION

THOMPSON & KOLBO Architects
A·I·A
7071 FAIRVIEW AVENUE BOISE, IDAHO
717 ROOSEVELT AVENUE NAMPA, IDAHO

FARM LABOR CAMP for
CALDWELL HOUSING AUTHORITY
CANYON COUNTY, IDAHO

DRAWN BY: RS	DATE: 9-8-69
CHECKED:	JOB No.: 6916

SHEET NUMBER
A-1
1 OF 15



C - C COMPLEX SITE PLAN

SCALE 1" = 20'-0"



STOP & WASTE DETAIL (B)

SCALE 1½" = 1'-0"

TYPICAL WHERE WASTE ENTERS FROM REAR OF HOUSING UNIT

DRAWING SYMBOLS

—S———S—	EXISTING SEWER LINE TO REMAIN IN SERVICE
- -S- - - - -S- -	EXISTING SEWER LINE TO BE ABANDON
◎	EXISTING MAN HOLE TO REMAIN IN SERVICE
—S———S—	NEW SEWER LINE BY PLUMBING CONTRACTOR - SIZE AS SHOWN
—CW———CW—	EXISTING COLD WATER SUPPLY LINE TO REMAIN IN SERVICE
- -W- - - -W- -	EXISTING WATER LINE TO BE ABANDON - CAP AS SHOWN
—CW———CW—	NEW COLD WATER LINE BY PLUMBING CONTRACTOR SIZE AS SHOWN
—CW—⊢	STOP & WASTE IN NEW COLD WATER LINE BY PLUMBING CONTRACTOR SEE DETAIL "B/2" & "A/2"
70.90	INDICATES ELEVATION OF NEW SEWER LINES IN FEET & HUNDREDTHS
75.54	INDICATES ELEVATION OF BUILDING FINISH FLOOR LINE IN FEET & HUNDREDTHS

THOMPSON & KOLBO Architects
A·I·A
7071 FAIRVIEW AVENUE BOISE, IDAHO
717 ROOSEVELT AVENUE NAMPA, IDAHO

FARM LABOR CAMP
CALDWELL HOUSING AUTHORITY
for
CANYON COUNTY, IDAHO

NEAL S. KOLBO
LICENSE NO. AR274
STATE OF IDAHO
NAMPA, IDAHO
LICENSED ARCHITECT

T
K

DRAWN BY:	DATE:
RS	9-8-69
CHECKED:	JOB NO.:
K	6915

SHEET NUMBER
A-2
2 OF 4



NOTE: SEE SHEET NO. 2 FOR SYMBOLS

D - COMPLEX SITE PLAN
SCALE 1" = 20'-0"



STOP & WASTE DETAIL (A)
SCALE 1 1/2" = 1'-0"
TYPICAL WHERE WASTE ENTERS FROM FRONT OF HOUSING UNIT

THOMPSON & KOLBO Architects
A·I·A
7071 FAIRVIEW AVENUE BOISE, IDAHO
717 ROOSEVELT AVENUE NAMPA, IDAHO

FARM LABOR CAMP for
CALDWELL HOUSING AUTHORITY
CANYON COUNTY, IDAHO

NEAL B. KOLBO
LICENSED
IDAHO
NO. 1832
OFFICE
NAMPA, IDAHO
LICENSED ARCHITECT

T K

DRAWN BY: RB	DATE: 9-8-69
CHECKED: V	JOB NO.: 6916

SHEET NUMBER
A-3
3 OF 13



NOTE: SEE SHEET NO. 2 FOR SYMBOLS

E - C COMPLEX SITE PLAN

SCALE = 1" = 20'-0"

THOMPSON & KOLBO Architects
A·I·A
7071 FAIRVIEW AVENUE BOISE, IDAHO
717 ROOSEVELT AVENUE NAMPA, IDAHO

FARM LABOR CAMP for
CALDWELL HOUSING AUTHORITY
CANYON COUNTY, IDAHO

NEAL B. KOLBO
STATE OF IDAHO
REGISTERED ARCHITECT

T K

DRAWN BY: RS	DATE: 9-8-69
CHECKED:	JOB No.: 6916

SHEET NUMBER
A-4
4 OF 15



FOUNDATION PLAN

SCALE 1/4" = 1'-0"



SECTION (A) ELEVATION (B)

SCREEN-WALL DETAILS

SCALE 3/4" = 1'-0"



ELEVATION (C)

SCALE 1/2" = 1'-0"



SECTION (D)

SCALE 1 1/2" = 1'-0"



DETAIL (E)



DETAIL (F)



DETAIL (G) DETAIL (H) DETAIL (J)

CABINET MILLWORK DETAILS

SCALE 3" = 1'-0"

THOMPSON & KOLBO *Architects*
A·I·A
7071 FAIRVIEW AVENUE BOISE, IDAHO
717 ROOSEVELT AVENUE NAMPA, IDAHO

FARM LABOR CAMP
CALDWELL HOUSING AUTHORITY
CANYON COUNTY, IDAHO

HEAL B. KOLBO
STATE OF IDAHO
No. 1269
REGISTERED ARCHITECT

T K

DRAWN BY: RS WRS	DATE: 9-8-69
CHECKED:	JOB No.: 6916

SHEET NUMBER
A-5
5 OF 15



F L O O R P L A N

SCALE — 1/4" = 1'-0"
TYPICAL ROW HOUSES 1 THRU 28 - SEE COMPLEX C, D & F OF SITE PLAN

NOTE: SEE SHEET NO. 1 FOR FINISH FLOOR ELEVATIONS

ROOM FINISH SCHEDULE

ROOM NO.	FLOORS: VAT TILE	WALLS: EXPOSED BLOCK	CEILINGS: SPRAYED ACOUSTICAL	MILLWORK: ROD & SHELF	MILLWORK: PLYWOOD SHELVING	MILLWORK: KITCHEN CABINETS	REMARKS
1 BEDROOM	●	●	●	●			
2 BEDROOM	●	●	●	●			
3 LIVING ROOM	●	●	●			●	
4 HALL	●	●	●		●		
5 BATH	●	●	●		●		



D O O R S C H E D U L E

SCALE 1/4" = 1'-0"



ROD & SHELF DETAIL (A)
SCALE 3" = 1'-0"



ELEVATION A

MILLWORK DETAILS
SCALE 1/2" = 1'-0"



WINDOW DETAILS
SCALE 3" = 1'-0"



INTERIOR DOORS

EXTERIOR DOORS

D O O R D E T A I L S
SCALE 3" = 1'-0"

THOMPSON & KOLBO Architects
A·I·A
7071 FAIRVIEW AVENUE BOISE, IDAHO
717 ROOSEVELT AVENUE NAMPA, IDAHO

FARM LABOR CAMP for
CALDWELL HOUSING AUTHORITY
CANYON COUNTY, IDAHO

Neal B. Kelly

T K

DRAWN BY: WRS RS	DATE: 9-8-69
CHECKED:	JOB No.: 6916

SHEET NUMBER
A-6
6 OF 15



REAR ELEVATION
SCALE 1/4" = 1'-0"



FRONT ELEVATION
SCALE 1/4" = 1'-0"

NOTE:
FINISH FLOOR ELEVATION – SEE SHEET #1
TOP OF ALL FOOTINGS 2'-0" BELOW FINISH FLOOR





LEFT ELEVATION
SCALE 1/4" = 1'-0"

RIGHT ELEVATION
SCALE 1/4" = 1'-0"



SHOWER BASE DETAIL A



SHOWER ALTERNATE #1
SCALE

THOMPSON & KOLBO Architects
A·I·A
7071 FAIRVIEW AVENUE BOISE, IDAHO
717 ROOSEVELT AVENUE NAMPA, IDAHO

for

FARM LABOR CAMP
CALDWELL HOUSING AUTHORITY
CANYON COUNTY, IDAHO

NEAL B. KELLS
LICENSED ARCHITECT
STATE OF IDAHO
Neal B. Kells

T
K

DRAWN BY	DATE 9-3-69
CHECKED	JOB NO.

SHEET NUMBER
A-7
7 OF 13



NOTE:
ROOF DESIGN FOR 30 LB. LIVE LOAD

ROOF FRAMING PLAN
SCALE 1/4" = 1'-0"



DETAIL Ⓐ



DETAIL Ⓑ
SCALE 1 1/2" = 1'-0"

DETAIL Ⓒ



TYPICAL WELD PLATE DETAIL Ⓓ
NOT TO SCALE



TYPICAL DOUBLE "TEE" DETAIL Ⓔ
SCALE 1 1/2" = 1'-0"



FLASHING DETAIL Ⓕ
SCALE 3" = 1'-0"

THOMPSON & KOLBO *Architects*
A·I·A
7071 FAIRVIEW AVENUE BOISE, IDAHO
717 ROOSEVELT AVENUE NAMPA, IDAHO

FARM LABOR CAMP for
CALDWELL HOUSING AUTHORITY
CANYON COUNTY, IDAHO

NEAL B. KOLBO
LICENSED IDAHO NO. AR572
OFFICE
LICENSED ARCHITECT

T
K

DRAWN BY:	DATE:
RG WRS	8-8-69
CHECKED:	JOB No.:
	6916

SHEET NUMBER
A-8
8 OF 15





NOTE
ALL FOOTINGS SHALL BEAR ON UNDISTURBED SOIL OR COMPACTED PIT RUN GRAVEL COMPACTED TO 95% DENSITY

ALTERNATE INTERIOR FOOTING DETAILS
FOR CONTRACTORS OPTION
SCALE 3/4"=1'-0"



CROSS SECTION D-D
SCALE 1/4" = 1'-0"

THOMPSON & KOLBO Architects
A·I·A
7071 FAIRVIEW AVENUE BOISE, IDAHO
717 ROOSEVELT AVENUE NAMPA, IDAHO

FARM LABOR CAMP
CALDWELL HOUSING AUTHORITY
for
CANYON COUNTY, IDAHO

HEAL & KILLEN
STATE OF IDAHO
NO. 4527
OFFICE
LICENSED ARCHITECTS

T
K

DRAWN BY: W/RG RS	DATE: 9-8-69
CHECKED: ✓	JOB NO.: 6912

SHEET NUMBER
A-9
9 OF 15



THOMPSON & KOLBO Architects A·I·A
7071 FAIRVIEW AVENUE BOISE, IDAHO
717 ROOSEVELT AVENUE NAMPA, IDAHO

FARM LABOR CAMP for
CALDWELL HOUSING AUTHORITY
CANYON COUNTY, IDAHO

NEAL B. KOLBO LICENSED ARCHITECT IDAHO NO. AR-937

DRAWN BY: T	DATE: 9-8-69
CHECKED: K	JOB NO.: 6916

SHEET NUMBER
A-10
10 OF 15



NOTE: GRADE CW LINES TO DRAIN BACK TO STOP & WASTE

NOTE: WATER LINES SHOWN ARE TO BE INSTALLED BELOW CONC. FLOOR SLAB

PLUMBING SUPPLY LAYOUT
TYPICAL @ ALL HOUSING UNITS
SCALE 1/4" = 1'-0"



NOTE: WATER SUPPLY LINES SHOWN & SEWER LINES SHOWN ARE TYPICAL @ ALL APARTMENT UNITS

PLUMBING WASTE LAYOUT
TYPICAL @ ROW HOUSES NO. 1 THRU 5 & 11 THRU 28
SCALE 1/4" = 1'-0"



RISER DIAGRAM
NO SCALE



ALTERNATE "B"
RISER DIAGRAM
NO SCALE



PLUMBING WASTE LAYOUT
TYPICAL @ ROW HOUSES NO. 6, 7, 8, 9, & 10 - SEE SHEET NO. 2
SCALE 1" = 20'-0"

THOMPSON & KOLBO Architects
A·I·A
7071 FAIRVIEW AVENUE BOISE, IDAHO
717 ROOSEVELT AVENUE NAMPA, IDAHO

FARM LABOR CAMP
CALDWELL HOUSING AUTHORITY
CANYON COUNTY, IDAHO

NEAL S. KOLBO
IDAHO
NO. 1863
OFFICE
LICENSED ARCHITECT

T K

DRAWN BY: RS	DATE: 9-8-69
CHECKED:	JOB No.: 6916

SHEET NUMBER
M-11
11 OF 15



E L E C T R I C A L P L A N

SCALE 1/4" = 1'-0"

PANEL A (B SEE NOTE) SCHEDULE

CIRCUIT NUMBER	CIRCUIT PROTECTION: NUMBER POLES	AMPS	TYPE	LOAD WATTS	COLD LOAD AMPS: Φ-A	Φ-B	WIRE SIZE	
A-1	2	50	FUSETRON	8,100	33.8	33.8	#6	RANGE
A-2	2	30	FUSETRON	4,500	18.8	18.8	#10	H.W.
A-3	2	50	FUSETRON	6,000	25.0	25.0	#10	ELECTRIC HEAT
A-4	1	20	FUSTAT	1,250	10.5		#12	ELECTRIC HEAT
A-5	1	20	FUSTAT	1,380		11.5	#12	LIGHTING & CONVENIENCE OUTLETS
A-6	1	20	FUSTAT	1,380	11.5		#12	LIGHTING & CONVENIENCE OUTLETS
A-7	1	20	FUSTAT	200		2.5	#12	REF. OUTLET
A-8	1	-	BLANK					BLANK SPACE W/ FILLER
				22,910	99.6	92.1		TOTAL

TYPE: FUSIBLE LOAD CENTER
VOLTS: 120/240 VAC 1 Φ 3 WIRE
MAIN: 125 A. MAIN LUGS
WIRE: AS SHOWN ON PLAN
CONDUIT: AS SHOWN ON PLAN
FEED: BOTTOM
MOUNTING: FLUSH

NOTE: ELECTRICAL PANEL "B" SAME AS PANEL "A" EXCEPT
CIRCUITS NO. 5 & 7 CONNECTED TO Φ B
CIRCUITS NO. 4 & 6 CONNECTED TO Φ A

S Y M B O L S

(A)-□	PORCELAIN LAMP HOLDER W/ GROUNDED CONVENIENCE OUTLET & PULL CHAIN SUPPLY W/ 100 W LAMP MOUNT ON OUTLET BOX IN BLOCK 6'-8" ABOVE FLOOR
⊖	GROUNDED CONVENIENCE OUTLET IN OUTLET BOX IN BLOCK WALL 12" ABOVE FLOOR ARROW HART 5262-I W/ IVORY COVER PLATE EQUALS OF BRYANT, P & S, OR HUBBEL ARE ACCEPTABLE
⊖1	RANGE OUTLET WIRE OUT OF J-BOX 240 V.
⊖2	HOT WATER HEATER OUTLET WIRE OUT OF J-BOX 240 V.
⊖3	ELECTRIC HEATER OUTLET WIRE OUT OF J-BOX 240 V.
⊖4	ELECTRIC HEATER OUTLET WIRE OUT OF J-BOX 120 V.
(A)	ELECTRIC HEATER CSI HEAT NO. 24CH60 OR APPROVED EQUAL 6,000 W WALL-INSERT HEATER
(B)	ELECTRIC HEATER CSI HEAT NO. 1125B12 OR APPROVED EQUAL 1,250 W WALL-INSERT HEATER



POWER SERVICE DIAGRAM

SCALE NONE

S Y M B O L S

(B)-□	WEATHERPROOF LIGHT FIXTURE W/ 100 W LAMP PRESCOLITE NO. WB-2 W/ BRUSHED ALUMINUM FINISH & W/ WG-6 GUARD INSTALL IN WEATHERPROOF BOX W/ WEATHERPROOF KIT MOUNT ON OUTLET BOX IN BLOCK 7'-8" ABOVE FLOOR LINE
$	SINGLE POLE SWITCH IN OUTLET BOX IN BLOCK WALL 54" ABOVE FLOOR ARROW HART & 1991-I W/ IVORY COVER PLATE EQUALS OF BRYANT, P & S, OR HUBBEL ACCEPTABLE



SERVICE ENTERANCE DETAIL (A)

SCALE 3/4" = 1'-0"

THOMPSON & KOLBO *Architects*
A·I·A
7071 FAIRVIEW AVENUE BOISE, IDAHO
717 ROOSEVELT AVENUE NAMPA, IDAHO

FARM LABOR CAMP
CALDWELL HOUSING AUTHORITY
CANYON COUNTY, IDAHO

NEAL S. KOLBO
LICENSED
IDAHO
NO. AR3716
OFFICE
BOISE, IDAHO
REGISTERED ARCHITECT

T
K

DRAWN BY: RS	DATE: 9-8-68
CHECKED:	JOB NO.: 8916

SHEET NUMBER
E-12
12 OF 13

NOTE

ALL CONTRACTORS AND/OR THEIR SUBCONTRACTORS SHALL BE RESPONSIBLE TO VISIT THE SITE AND MAKE THEMSELVES FAMILIAR W/ THE WORK TO BE PREFORMED UNDER THIS CONTRACT



NOTE: REMOVE AND RESET WATER CLOSET AS REQUIRED IN ALL BATH ROOM RECEIVING NEW FLOOR COVERING

NOTE: WHERE H.W.H. OCCURS PROVIDE 3/4" COLD WATER TO TANK & 3/4" HOT WATER LINE TO EXISTING HOT WATER SYSTEM & PRESSURE RELIEF TO EXTERIOR

TYPICAL FLOOR PLAN
SCALE 1/4" = 1'-0"



(1) REQUIRED @ UNIT NO 24 ONLY

CABINET DETAIL (A)
SCALE 1/2" X 1'-0"

SECTION (C)
SCALE 1 1/2" = 1'-0"

REMODELING SCHEDULE INDIVIDUAL HOUSING UNITS

SEE SHEET #1 FOR LOCATION OF HOUSING UNITS

SINGLE DWELLING UNIT NUMBER	FLOORS: NEW LINOLEUM FLOOR COVERING OVER 3/8" UNDERLAYMENT ON EXISTING FLOOR IN KITCHEN	FLOORS: NEW LINOLEUM FLOOR COVERING OVER 3/8" UNDERLAYMENT ON EXISTING FLOOR IN BATH ROOM	FRONT DOOR: NEW DOOR (A)	FRONT DOOR: NEW DOOR HARDWARE	FRONT DOOR: NEW SCREEN DOOR (B)	FRONT DOOR: REPLACE FRAME (E/B)	FRONT DOOR: REPLACE THRESHOLD	FRONT DOOR: REPLACE SILL	REAR DOOR: NEW DOOR (A)	REAR DOOR: NEW DOOR HARDWARE	REAR DOOR: NEW SCREEN DOOR (B)	REAR DOOR: REPLACE FRAME (E/B)	REAR DOOR: REPLACE THRESHOLD	REAR DOOR: REPLACE SILL	REAR DOOR: NEW CONC. STOOP	MISC.: NEW ALUMINUM SCREEN ON ALL WINDOWS	MISC.: RE-SCREEN FOUNDATION VENTS AS DIRECTED BY ARCHITECT	MISC.: NEW COMPOSITION SHINGLES AS SPEC. OVER EXISTING ROOF	NEW HOT WATER HEATER 40 GALL. AS SPEC.	REMOVE EXISTING COOK STOVE & CHIMNEY	REPAIR OPENING IN CEILING & PAINT EXTERIOR	PAINTING: PAINT INTERIOR	PAINTING: PAINT EXISTING SHOWER & WALLS	PAINTING: REPLACE SHOWER - INSTALL FIBERGLASS STALL SHOWER 36"Ø	REMOVE TREES	ELECTRICAL: INSTALL NEW PANEL	ELECTRICAL: INSTALL NEW SERVICE	ELECTRICAL: RANGE OUTLET	ELECTRICAL: WIRE TO NEW H.W.H.	ELECTRICAL: DRYER OUTLET	ELECTRICAL: WASHER OUTLET	REMARKS
NO. 1	•				•						•				•	•	•	•			•	•				•	•	•	•	•	•	•	
NO. 2					•						•				•			•			•	•	•										
NO. 3					•										•	•		•															
NO. 4					•		•	•			•				•	•		•			•		•										
NO. 5	•	•			•						•				•	•		•			•		•										
NO. 6		•	•	•	•					•	•				•	•		•			•	•	•										KNOB & KEY, MASTER KEY WITH ROW HOUSE UNITS
NO. 7	•	•	•	•	•	•	•	•			•				•	•		•			•		•		•								REMOVE (1) 20"Ø & (1) 9"Ø TREE —REUSE EXISTING NIGHT LOCK
NO. 8	•	•			•						•				•	•	•	•			•	•		•									
NO. 9		•			•		•	•			•				•	•		•			•	•		•									
NO. 10	•	•			•		•			•	•				•	•		•	•	•	•	•	•			•	•	•	•	•	•	•	RE-USE EXISTING NIGHT LOCK
NO. 11	•	•	•	•	•		•	•	•	•	•	•	•	•	•	•		•	•	•	•	•	•			•	•	•	•	•	•	•	NEW OUTSIDE DOOR TRIM KNOB & KEY, MASTER KEY WITH ROW HOUSE UNITS
NO. 12	•				•						•				•	•		•			•		•										
NO. 13	•	•			•						•				•	•		•			•		•										
NO. 14	•				•						•				•	•		•	•	•	•	•	•			•	•	•	•	•	•	•	NEW LINOLEUM CABINET TOP
NO. 15	•	•		•	•		•	•			•				•	•		•	•	•	•	•	•		•	•	•	•	•	•	•	•	REMOVE (1) 18"Ø TREE
NO. 16		•		•	•				•	•	•	•	•	•	•	•		•	•	•	•	•	•			•	•	•	•	•	•	•	KNOB & KEY, MASTER KEY WITH ROW HOUSE UNITS
NO. 17			•	•	•	•	•	•	•	•	•	•	•	•	•		•	•			•	•	•	•									REMOVE (3) SMALL TREES KNOB & KEY, MASTER WITH ROW HOUSE UNITS
NO. 18		•	•	•	•	•	•	•			•				•	•		•			•	•	•	•									REMOVE (1) SMALL TREES—REUSE EXISTING NIGHT LOCK
NO. 19	•		•	•	•	•	•	•			•				•		•	•			•	•	•	•									REMOVE (2) SMALL TREES REUSE EXISTING NIGHT LOCK
NO. 20		•	•	•	•	•	•	•			•				•	•		•			•	•	•	•									REUSE EXISTING NIGHT LOCK
NO. 21	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•		•	•	•	•	•	•	•		•	•	•	•	•	•	•	KNOB & KEY, MASTER KEY WITH ROW HOUSE UNITS
NO. 22	•	•	•	•	•	•	•	•			•				•	•		•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	REMOVE SMALL TREE —LESS 6" Ø RE-USE EXISTING NIGHT LOCK -NEW HARDWARE FOR SCREEN DR.
NO. 23	•	•			•		•	•			•		•	•	•			•			•		•		•								REMOVE (1) TREE - 24" Ø TRUNK
NO. 24	•	•	•	•	•	•	•	•			•				•	•		•			•		•										NEW KITCHEN CABINET — SEE DETAIL A THIS SHEET RE-USE EXISTING NIGHT LOCK
NO. 25	•				•		•	•			•		•	•	•			•	•	•	•	•	•			•	•	•	•	•	•	•	
NO. 26	•	•			•		•				•			•	•			•			•	•	•										
NO. 27	•				•		•	•			•				•	•		•			•	•	•										
NO. 28	•	•	•	•	•	•	•	•		•	•	•	•	•	•	•		•	•	•	•	•	•			•	•	•	•	•	•	•	KNOB & KEY, MASTER KEY WITH ROW HOUSE UNITS
NO. 29	•										•				•	•		•	•	•	•	•	•			•	•	•	•	•	•	•	
NO. 30	•	•		•	•	•	•	•		•	•	•	•	•	•	•		•	•	•	•	•	•			•	•	•	•	•	•	•	KNOB & KEY, MASTER KEY WITH ROW HOUSE UNITS
NO. 31	•	•			•					•	•	•	•	•	•	•		•			•	•	•										REUSE EXISTING NIGHT LOCK
NO. 32	•	•			•					•	•				•	•		•			•	•	•										REUSE EXISTING NIGHT LOCK
NO. 33	•	•	•	•	•	•	•	•		•	•	•	•	•	•	•		•			•	•	•	•									KNOB & KEY, MASTER KEY WITH ROW HOUSE UNITS
NO. 34	•				•						•				•	•		•			•	•	•			•	•	•	•	•	•	•	REMOVE PART OF TREE NEXT TO HOUSE
NO. 35	•	•			•		•	•			•		•	•	•	•		•	•	•	•	•	•			•	•	•	•	•	•	•	
NO. 36	•	•		•	•	•	•	•			•				•	•	•	•			•	•	•		•								REMOVE (2) 16" Ø TREES (1) FRONT & (1) REAR REUSE EXISTING NIGHT LOCK
NO. 37	•	•	•	•	•	•	•	•		•	•	•	•	•	•	•		•			•	•	•		•								REMOVE (2) SMALL TREES KNOB & KEY, MASTER KEY WITH ROW HOUSE UNITS
NO. 38			•	•	•	•	•	•										•			•	•	•										REUSE EXISTING NIGHT LOCK
NO. 39	•	•	•	•	•		•	•						•	•			•			•	•	•										RE-USE EXISTING NIGHT LOCK
NO. 40	•	•	•	•	•	•	•	•							•			•			•	•	•										RE-USE EXISTING NIGHT LOCK
NO. 41		•	•	•	•	•	•	•		•	•	•	•	•	•	•		•			•	•	•										KNOB & KEY, MASTER KEY WITH ROW HOUSE UNITS
NO. 42																																	
NO. 43	•	•	•	•	•	•	•	•		•	•	•	•	•	•	•		•			•	•	•		•	•	•	•	•	•	•	•	REMOVE (1) 8" Ø & (1) 4" Ø TREE KNOB & KEY, MASTER KEY WITH ROW HOUSE UNITS
NO. 44	•	•	•	•	•	•	•	•		•	•	•	•	•	•	•		•			•	•	•			•	•	•	•	•	•	•	KNOB & KEY, MASTER KEY WITH ROW HOUSE UNITS
NO. 45	•		•	•	•	•	•	•		•	•	•	•	•	•	•		•			•	•	•										KNOB & KEY, MASTER KEY WITH ROW HOUSE UNITS
NO. 46	•	•	•	•	•	•	•	•		•	•	•	•	•	•	•		•			•	•	•										KNOB & KEY, MASTER KEY WITH ROW HOUSE UNITS
NO. 47	•	•	•	•	•	•	•	•		•	•	•	•	•	•	•		•			•	•	•										KNOB & KEY, MASTER KEY WITH ROW HOUSE UNITS
NO. 0	•	•	•	•	•		•	•						•	•		•	•			•	•	•										INCLUDE REAR ENTRANCE IN KITCHEN FLOORING

APPLY NEW LINOLEUM FLOOR COVERING OVER 3/8" UNDERLAYMENT AS SPEC.

• UNDERSLUNG EDGING CHROMEDGE #187TC AS MFR BY B & T METAL COMPANY OR APPROVED EQUAL

EXISTING FLOOR COVERING

(SEE SCHEDULE FOR LOCATION)

FLOOR DETAIL (B)
FULL SCALE



(SEE SCHEDULE FOR LOCATION)

JAMB (F)
HEAD SIMILIAR
SCALE 3" = 1'-0"



SECTION (D)
SCALE 1" = 1'-0"

SECTION (E)



DOOR SCHEDULE
SCALE 1/4" = 1'-0"



POWER SERVICE DIAGRAM
SCALE NONE

PANEL "C" SCHEDULE

CIRCUIT NUMBER	CIRCUIT PROTECTION: NUMBER POLES	CIRCUIT PROTECTION: AMPS	CIRCUIT PROTECTION: TYPE	LOAD WATTS	CONN. LOAD AMPS: Φ A	CONN. LOAD AMPS: Φ B	WIRE SIZE	
C-1	2	30	FUSETRON	10,000	41.8	41.8	#6	RANGE OUTLET
C-2	2	30	FUSETRON	4,500	18.8	18.8	#10	H.W.H. OUTLET
C-3	2	30	FUSETRON	5,000	20.9	20.9	#10	DRYER OUTLET
C-4	1	20	FUSTAT	700	5.9		#12	WASHER OUTLET
C-5	1	20	FUSTAT	750		6.3	#12	CONNECT TO EXISTING CIRCUITS
C-6	1	20	FUSTAT	750	6.3		#12	CONNECT TO EXISTING CIRCUITS
				21,700	93.7	87.8		TOTAL

TYPE: FUSIBLE LOAD CENTER
VOLTS: 120/240 VAC 1 Ø 3 WIRE
MAIN: 100 A. MAIN DISCONNECT
WIRE:
CONDUIT:
FEED: TOP
MOUNTING: SURFACE
COVER: RAINTIGHT NEMA 3R

NOTE
SEE REMODELING SCHEDULE THIS SHEET FOR HOUSING UNITS TO RECEIVE NEW ELEC. WORK

THOMPSON & KOLBO Architects
A·I·A
7071 FAIRVIEW AVENUE BOISE, IDAHO
717 ROOSEVELT AVENUE NAMPA, IDAHO

FARM LABOR CAMP
CALDWELL HOUSING AUTHORITY for
CANYON COUNTY, IDAHO

HENRY B. KOLBO
No. 1224
STATE OF IDAHO
LICENSED ARCHITECT

T K

DRAWN BY:	DATE:
RS WRS	9-8-69
CHECKED:	JOB NO: 6918

SHEET NUMBER
R-13
13 OF 13

PANEL "D" SCHEDULE

CIRCUIT NUMBER	CIRCUIT BREAKERS: AMPS	CIRCUIT BREAKERS: NUMBER POLES	CIRCUIT BREAKERS: BREAKER FRAME	NUMBER OUTLETS	LOAD WATTS	CONN. LOAD: A φ	CONN. LOAD: B φ	WIRE SIZE	
D-1	20	1	NLAB		1,200	10.0		12	LIGHTING
D-2					1,200		10.0		
D-3				2	1,400	11.8			WASHER OUTLETS
D-4					1,400		11.8		
D-5					1,400	11.8			
D-6					1,400		11.8		
D-7					1,400	11.8			
D-8					1,400		11.8		
D-9					1,400	11.8			
D-10					1,400		11.8		
D-11					300				UNIT HEATER
D-12									SPARE
									SPACE

TYPE: MURRY NLAB
VOLTS: 120/240 3 WIRE 1 φ
MAIN: 100 AMP. MAIN LUG
WIRE: 3 # 6
FEED: TOP
CONDUIT: 1¼" φ
MOUNTING: SURFACE

NOTE 1

ALL CONTRACTORS AND / OR THEIR SUBCONTRACTORS SHALL BE RESPONSIBLE TO VISIT THE SITE AND MAKE THEMSELVES FAMILIAR WITH THE WORK TO BE PREFORMED UNDER THIS CONTRACT

NOTE 2

PAINT ENTIRE CENTRAL UTILITY BUILDING EXTERIOR AS SPEC.



RISER DIAGRAM
NO. SCALE



ELECTRICAL SERVICE DIAGRAM
NO SCALE



PLUMBING PLAN
SCALE 1/4" = 1'-0"



FLOOR PLAN WASHATERIA
SCALE 1/4" = 1'-0"



DETAIL (A)
NO SCALE

ELECTRICAL NOTE

(A) INDICATES NEW PORCELAIN LAMP HOLDER ON J-BOX W/ 300 W. INCAND LAMP

ALL NEW CIRCUITS FROM PANEL "D" TO BE RUN IN 3/4" CONDUIT ABOVE NEW CEILING

NEW ELECTRICAL TO BE GROUNDED AS REQUIRED BY N.E.C.

THOMPSON & KOLBO Architects
A·I·A
7071 FAIRVIEW AVENUE BOISE, IDAHO
717 ROOSEVELT AVENUE NAMPA, IDAHO

FARM LABOR CAMP
CALDWELL HOUSING AUTHORITY
for
CANYON COUNTY, IDAHO

HEAL B. KOLBO LICENSED IDAHO NO. 1223 PROFESSIONAL OFFICE LICENSED ARCHITECT

T K

DRAWN BY:	DATE:
J.C.S. R.S.	3-8-93
CHECKED:	JOB NO: 9310

SHEET NUMBER
R-14
14 OF 15



NORTH ELEVATION
1/8" = 1'-0"



SOUTH ELEVATION
1/8" = 1'-0"



SECTION (A)



SECTION (B)



DETAIL (E)
3" = 1'-0"



DETAIL (C)
3" = 1'-0"



DETAIL (D)
3" = 1'-0"

THOMPSON & KOLBO *Architects*
A·I·A
7071 FAIRVIEW AVENUE BOISE, IDAHO
717 ROOSEVELT AVENUE NAMPA, IDAHO

FARM LABOR CAMP
CALDWELL HOUSING AUTHORITY
for
CANYON COUNTY, IDAHO

NOAH B. KOLB
LICENSED
IDAHO
NO. AR3374
OFFICE
NAMPA, IDAHO
LICENSED ARCHITECT

T
K

DRAWN BY: JCS	DATE: 9-8-99
CHECKED: ✓	JOB NO.: 6816

SHEET NUMBER
R-15
15 of 15